# Addendum to Sales Contract

# 1602 Laird Street, Omaha, NE

# **CODE VIOLATIONS**

The City of Omaha Planning Department and Community Development Division currently has a Demolition Order against the property. It will be the buyer's sole responsibility to contact the City of Omaha within 30 days after closing for an inspection by the Chief Code Inspector (402-444-5488) to either bring the property up to code or have it demolished. If buyer does not comply with the City requirements, the buyer may be subject to fines, penalties and enforcement actions by the City of Omaha Planning Department and Development. The United States will be relieved of any liability if the structure is demolished.

Attached is a list of known violations. The buyer will be responsible for contacting the City for other violations not known by the seller.

Purchaser Initial	Purchaser Initial	Seller Initial

# **Violations List**

October 8, 2008

Deutsch Bank National Trust 1610 E. St. Andrew Place B#150 Santa Ana, CA 92705

Re: 1602 LAIRD ST Inspected by: Greg Peterson Structure Type: Dwelling

Violations and corrective action:

## **Owner Violation List Items**

## Code Section Violated

043-101. Generally. All construction or work for which a permit is Entire Dwelling. Construction required shall be subject to inspection by the building official and all work shall remain accessible & such construction or work shall remain accessible and exposed for exposed for inspections until inspection purposes until approved by the building official. In addition, approved. certain types of construction shall have special inspection as specified in the building code as adopted by this jurisdiction.

Approval as a result of an inspection shall not be construed to be an approval of a violation of the provisions of the building code, this Code or other ordinances of the jurisdiction. Inspections presuming to give authority to violate or cancel the provisions of the building code, this Code or other ordinances of the jurisdiction shall not be valid.

It shall be the duty of the permit applicant to cause the work to remain accessible and exposed for inspection purposes. Neither the building official nor the jurisdiction shall be liable for expense entalled in the removal or replacement of any material required to allow inspection.

A survey of the lot may be required by the building official to verify that the structure is located in accordance with the approved plans. (Ord. No 33582, SS 1(43-101), 6-27-95)

043-71. Required. Except as specified in section 43-72 of this Code, Entire Dwelling. General repair no building or structure regulated by this Code shall be erected, permits are required for roof constructed, enlarged, altered, repaired, moved, improved, removed, replacement, exterior and converted or demolished unless a separate permit for each building or Interior wall structure has first been obtained from the building official. (Ord. No. 33582 SS 1(43-71), 6-27-95)

surface repair, window and door repair,

non-structural replacement.

Location and Nature of Violation

Unsafe/Unfit DesignationRepaired

# Location and Nature of Violation

Unsafe/Unfit Designation Repaired

043-71. Required. Except as specified in section 43-72 of this Code, Entire no building or structure regulated by this Code shall be erected, Repair-Building permit required constructed, enlarged, altered, repaired, moved, improved, removed, when repair labor and materials converted or demolished unless a separate permit for each building or are valued over \$500. structure has first been obtained from the building official. (Ord, No. 33582 SS 1(43-71), 6-27-95)

Dwelling. General

043-71. Required. Except as specified in section 43-72 of this Code, Entire Dwelling. Wreck permit no building or structure regulated by this Code shall be erected, is required. constructed, enlarged, altered, repaired, moved, improved, removed, converted or demolished unless a separate permit for each building or structure has first been obtained from the building official. (Ord. No. 33582 SS 1(43-71), 6-27-95)

Yes

043-91. Permit Fees. Fees shall be assessed in accordance with the Entire Dwelling. Fee shall be provisions of this section. The fee for each building permit shall be as assessed in accordance with set forth in Table 43-91

the provisions of this sections.

The determination of value or valuation for the purpose of assessing the permit fee shall be made by the building official. The value to be used in computing the building permit and plan review fees shall be the total value of all construction work for which the permit is issued.

Penalty fees: When construction begins before the permit has been issued, the applicant shall pay a penalty fee. Said fee shall be quadruple the amount of the regular fee.

No quadruple fee penalty set forth in this chapter shall be imposed if the work is of an emergency nature where a delay in performing the work may cause a risk to life or health or will significantly increase the risk of property damage, provided a permit is applied for within 48 hours of the start of the work, in which case no penalty shall be imposed.

043-94. Commencing work without permit. Whenever any work for Entire Dwelling. Whenever any which a permit is required has been commenced without first obtaining work for which a permit is said permit, a special investigation shall be made before a permit may required has been commenced be issued. A penalty fee shall be assessed in accordance with table without first obtaining said 43-91. Payment of the penalty fee shall not exempt the applicant from permit a penalty fee shall be making any changes that may be required to bring the work into assessed. compliance with the city's building, zoning and other codes. (Ord. No 33582, SS 1(43-94), 6-27-95)

044-121. Permit required.. Before proceeding to install, alter, repair, Entire Dwelling. An Electrical relocate, affix or suspend any electrical wiring, or to install or connect contractor, that is licensed and any equipment or apparatus which requires electrical wiring to be bonded by the City of Omaha, installed, affixed or suspended to make the same operable, for either must make all electrical repairs. interior or exterior wiring, a permit shall be obtained by an electrical Appropriate electrical permits contractor or a master electrician from the electrical official at the and inspections are required permits and inspections division.

048-101. Application for appeal. Any person directly affected by a Entire Dwelling. Owner. Any decision of the code official or a notice or order issued under this code shall have the right to appeal to the building board of review, provided notice shall have the right to that a written application for appeal is filed within 20 days after the day the decision, notice or order was served or posted, as the case may be. If the decision, notice or order was served by first class mail, then three (3) business days shall be added to the time for appeal. Appealable issues shall include, but not be limited to, notices of violation, repair orders, placards, notices to vacate, closure orders, the results of inspections, orders to purchase permits or pay fees, and the denial of permits. An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply, or the requirements of this code are adequately satisfied by other means, or that the strict application of any requirement of this code would cause an undue hardship. To the extent that there are any differences in the procedures for appeals to the board under this code and under Chapter 43, the procedures set forth in this code shall govern appeals occurring under this code.

person directly affected by this appeal.

048-102. Stays of enforcement. An appeal of a notice or order (other Entire Dwelling, Owner. than an Imminent Danger notice or order) shall stay the enforcement of the adminstrative notice and order until the appeal is heard by the board, but shall not stay the criminial prosecution of any violation of any section of this code.

048-12a. Maintenance. Equipment, systems, devices and safeguards. Entire Dwelling. Owner. required by this code or a previous regulation or code under which the structure or premises was constructed, altered or repaired shall be maintained in good working order. The requirements of this code are not intended to provide the basis for removal or abrogation of fire protection and safety systems and devices in existing structures. Except as otherwise specified herein, the owner or the owner's designated agent shall be responsible for the maintenance of buildings, structures and premises.

048-12e. Maintenance. Mechanical and plumbing systems, both Entire Dwelling. Owner. Both existing and new, and parts thereof shall be maintained in proper mechanical operating condition in accordance with the original design and in a safe system shall be maintained in and sanitary condition. Devices or safeguards required by an applicable property operating condition in code shall be maintained in compliance with the code edition under accordance with the original which installed.

and plumbing design and in safe and sanitary condition.

048-13. Application of other codes. Repairs, additions or alterations Entire Dwelling. All city codes to a structure, or changes of occupancy, shall be done in accordance apply. with the procedures and provisions of the City's Building Code, Plumbing Code, Mechanical Code, Fuel Gas Code, Fire Code and Electrical Code, all as defined in this code. Nothing in this code shall be Code. construed to cancel, modify or set aside any provisions of Chapter 55 of the Omaha Municipal Code.

Building Code, Code, Electrical Plumbing Code, Code, Mechanical Code, Fire

Unsafe/Unfit Designation Repaired

048-15. Workmanship. Repairs, maintenance work, atterations or Entire Dwelling. All repairs, installations which are caused directly or indirectly by the enforcement alterations, maintenance work of this code shall be executed and installed in a workmanlike manner & installations shall be made in and installed in accordance with the manufacturer's installation a workmanlike manner, and in instructions.

accordance with manufacturer's installation instructions.

048-25. Fees. The fees for activities and services performed by the city Entire Dwelling. Owner. Fee in carrying out its responsibilities under this code shall be as indicated in shall apply. the following schedule:

Reinspection, charged once for each notice per dwelling unit \$41.00

048-33a. Inspections. The code official shall make all of the required Entire Dwelling. Code official Inspections, or shall accept reports of inspection by approved agencies shall make all of the required or individuals. All reports of such inspections shall be in writing and be inspections, or shall accept certified by a responsible officer of such approved agency or by the reports of inspection by responsible individual. The code official is authorized to engage such approved agencies. expert opinion as deemed necessary to report upon unusual technical issues that arise.

048-34. Right of entry. The code official is authorized to enter the Entire Dwelling. The code structure or premises at reasonable times to inspect subject to official is authorized to enter the constitutional restrictions on unreasonable searches and seizures. If structure or premises at entry is refused or not obtained, the code official is authorized to pursue reasonable times. recourse as provided by law.

048-43. Required testing. Whenever there is insufficient evidence of Entire Dwelling, a TERMITE compliance with the provisions of this code, or evidence that a material INSPECTION or method does not conform to the requirements of this code, or in ASBESTOS INSPECTION ARE order to substantiate claims for alternative materials or methods, the REQUIRED code official shall have the authority to require tests to be made as WRECK PERMIT IS ISSUED. evidence of compliance at no expense to the city.

AND BEFORE

a) Test methods. Test methods shall be as specified in this code or by other recognized test standards. In the absence of recognized and accepted test methods, the code official or building board of review shall determine the testing procedures.

- b) Testing agency. All tests shall be performed by an approved agency.
- c) Test reports. Reports of tests shall be retained by the code official for the period required for retention of public records.

given to inspector of front and

rear porches/ decks, concrete

Unsafe/Unfit Designation Repaired

048-43. Required testing. Whenever there is insufficient evidence of Entire Dwelling. A stamped compliance with the provisions of this code, or evidence that a material Engineers Report or or method does not conform to the requirements of this code, or in structural review is required by order to substantiate claims for alternative materials or methods, the a State of Nebraska registered code official shall have the authority to require tests to be made as structural engineer and report evidence of compliance at no expense to the city.

- a) Test methods. Test methods shall be as specified in this code or by stairways, and foundation walls. other recognized test standards. In the absence of recognized and accepted test methods, the code official or building board of review shall determine the testing procedures.
- b) Testing agency. All tests shall be performed by an approved agency.
- c) Test reports. Reports of tests shall be retained by the code official for the period required for retention of public records.

048-44. Material and equipment reuse. Materials, equipment and Entire Dwelling. Owner. devices shall not be reused unless such elements are in good repair or have been reconditioned and tested when necessary, placed in good and proper working condition and approved.

uniawiui.

048-51. Unlawful acts. It shall be unlawful for a person, firm or Entire Dwelling. Any violation of corporation to be in conflict with or in violations of any of the provisions any provision of this code is of this code.

048-53. Prosecution of violation. Any person failing to comply with a Entire Dwelling. Any person notice of violation or order served in accordance with this code shall be failing to comply with a notice deemed guilty of a misdemeanor, as provided in Section 1-10 of the shall be prosecuted. Omaha Municipal Code. If the notice of violation is not complied with, the code official may institute the appropriate proceeding at law or in equity to restrain, correct or abate such violation, or to require the removal or termination of the unlawful occupancy of the structure in violation of the provisions of this code or of the order or direction made pursuant thereto.

048-54. Violation penalties. Any person who shall violate a provision Entire Dwelling. Any person of this code, or fail to comply therewith, or with any of the requirements thereof, shall be prosecuted within the limits provided by state or local laws. Each day that a violation continues after due notice has been the limits provided by state or served shall be deemed a separate offense.

who violates a provision of this code shall be prosecuted within incals laws.

046-61. Notice to owner or to person or persons responsible. Entire Dwelling. Owner Whenever the code official determines that there has been a violation of this code or has grounds to believe that a violation has occurred, notice shall be given to the owner or the person or persons responsible therefore in the manner prescribed in sections 48-62 and 48-63. Not more than one notice of violations shall be issued for the same violation. Notices for procedures declaring property unsefe or unfit for human occupancy shall also comply with Division 8.

048-65. Transfer of ownership. If the ownership of a property subject. Entire Dwelling. Inspector must to a pending notice or order under this code is to be transferred, the be noticed of pending transfer transferring owner shall report to the city housing division the impending of ownership seven (7) days transfer of the property and the name and address of the transferee, at prior to transfer. least seven (7) days prior to the transfer.

048-71a. General. When a structure or equipment is found by the Enfire Dwelling. code official to be unsafe, or when a structure is found unfit for human dilapidated and deteriorated occupancy, or is found unlawful, such structure shall be declared as structure. such by notice pursuant to the provisions of this code.

Yes

- Unsafe Structure. An unsafe structure is one that is found to be dangerous to the life, health, property or safety of the public or the occupants of the structure by not providing minimum safeguards to protect or warn occupants in the event of fire, or because such structure contains unsafe equipment or is so damaged, decayed, dilepidated, structurally unsufe, or of such faulty construction or unstable foundation that partial or complete collapse is possible.
- 048-71a. General, When a structure or equipment is found by the Entire Dwelling. Unsanitary code official to be unsafe, or when a structure is found unfit for human conditions throughout. occupancy, or is found unlawful, such structure shall be declared as such by notice pursuant to the provisions of this code.

Yes

Unsafe Structure. An unsafe structure is one that is found to be dangerous to the life, health, property or safety of the public or the occupants of the structure by not providing minimum safeguards to protect or warn occupants in the event of fire, or because such structure contains unsafe equipment or is so damaged, decayed, dilapidated, structurally unsafe, or of such faulty construction or unstable foundation that partial or complete collapse is possible.

048-71a. General. When a structure or equipment is found by the Entire Dwelling. No working code official to be unsafe, or when a structure is found unfit for human smoke detectors. occupancy, or is found unlawful, such structure shall be declared as such by notice pursuant to the provisions of this code.

Unsafe Structure. An unsafe structure is one that is found to be dangerous to the life, health, property or safety of the public or the occupants of the structure by not providing minimum safeguards to protect or warn occupants in the event of fire, or because such structure contains unsafe equipment or is so damaged, decayed, dilapidated, structurally unsafe, or of such faulty construction or unstable foundation that partial or complete collapse is possible.

## Location and Nature of Violation

Unsafe/Unfit Designation Repaired

048-71b. General. When a structure or equipment is found by the code Entire Dwelling. Building is official to be unsafe, or when a structure is found unfit for human unsafe or unfit. Electrical, occupancy, or is found unlawful, such structure shall be declared as plumbing, & mechanical such by notice pursuant to the provisions of this code.

systems are deteriorated.

Yes

b) Unsafe equipment. Unsafe equipment includes any boiler, heating equipment, elevator, moving stairway, electrical wiring or device, flammable liquid containers or other equipment on the premises or within the structure which is in such disrepair or condition that such equipment is a hazard to life, health, property or safety of the public or occupants of the premises or structure.

048-71c. General. When a structure or equipment is found by the code Entire Dwelling. Building is official to be unsafe, or when a structure is found unfit for human vacant, open. occupancy, or is found unlawful, such structure shall be declared as Building is a blighting Influence such by notice pursuant to the provisions of this code.

vandalized. on the neighborhood.

c) Structure unfit for human occupancy. A structure is unfit for human occupancy whenever the code official finds that such structure is unsafe, unlawful or, because of the degree to which the structure is in disrepair or lacks maintenance, is insanitary, vermin or rat infested, contains filth and contamination, or lacks ventilation, illumination, sanitary or heating facilities or other essential equipment required by this code, or because the location of the structure constitutes a hazard to the occupants of the structure or to the public.

048-71c. General. When a structure or equipment is found by the code Entire Dwelling. Dwelling is unfit official to be unsafe, or when a structure is found unfit for human for human occupancy. occupancy, or is found unlawful, such structure shall be declared as such by notice pursuant to the provisions of this code.

Yes

c) Structure unfit for human occupancy. A structure is unfit for human occupancy whenever the code official finds that such structure is unsafe, unlawful or, because of the degree to which the structure is in disrepair or lacks maintenance, is insanitary, vermin or rat infested, contains filth and contamination, or lacks ventilation, illumination, sanitary or heating facilities or other essential equipment required by this code, or because the location of the structure constitutes a hazard to the occupants of the structure or to the public.

## Location and Nature of Violation

Unsafe/Unfit Designation Repaired

048-71c. General. When a structure or equipment is found by the code Entire Dwelling. Structure is not official to be unsafe, or when a structure is found unfit for human connected to all public utilities. occupancy, or is found unlawful, such structure shall be declared as Second meter shut off. such by notice pursuant to the provisions of this code.

c) Structure unfit for human occupancy. A structure is unfit for human occupancy whenever the code official finds that such structure is unsafe, unlawful or, because of the degree to which the structure is in disrepair or lacks maintenance, is insanitary, vermin or rat infested, contains filth and contamination, or lacks ventilation, illumination, sanitary or heating facilities or other essential equipment required by this code, or because the location of the structure constitutes a hazard to the occupants of the structure or to the public.

048-71d. General. When a structure or equipment is found by the code Entire Dwelling. Structure has official to be unsafe, or when a structure is found unfit for human been illegally converted into occupancy, or is found unlawful, such structure shall be declared as duplex. such by notice pursuant to the provisions of this code.

Yes

d. Unlawful Structure. An unlawful structure is one found in whole or in part to be occupied by more persons than permitted under this code, or was erected, aftered or occupied contrary to law.

048-72. Closing of vacant structures, if the premises are vacant and Entire Dwelling, Structure found unfit for human habitation and occupancy, the code official is authorized vacant open and vandalized. to post a closure placard on the premises and order the premises closed up so as not to be an attractive nuisance. The owner or person responsible for the premises shall close up the premises within the time specified in the notice or order, and shall keep the premises closed until authorized or permitted by the code official to be opened. It shall be unlawful for the owner or any person responisble for the premises to fail to close and keep closed such a premises, on a continuing basis after the said notice or order. Upon failure of the owner or other person responisible for the premises to close up the premises within the time specified in the order, the code official may, in addition to other civil or criminical remedies, cause the premises to be closed and secured through any available public agency or by contract or arrangement by private persons and the cost thereof shall be charged against the real estate upon which the structure is located and shall be a lien upon such real estate and may be collected by any other legal means.

Location and Nature of Violation

Unsafe/Unfit Designation Repaired

048-72. Closing of vacant structures, if the premises are vacant and Entire unfit for human habitation and occupancy, the code official is authorized needs to be secured within 24 to post a closure placard on the premises and order the premises hours of receipt of this notice. closed up so as not to be an attractive nuisance. The owner or person responsible for the premises shall close up the premises within the time specified in the notice or order, and shall keep the premises closed until authorized or permitted by the code official to be opened. It shall be unlawful for the owner or any person responisble for the premises to fail to close and keep closed such a premises, on a continuing basis after the said notice or order. Upon failure of the owner or other person responisible for the premises to close up the premises within the time specified in the order, the code official may, in addition to other civil or criminical remedies, cause the premises to be closed and secured through any available public agency or by contract or arrangement by private persons and the cost thereof shall be charged against the real estate upon which the structure is located and shall be a lien upon such real estate and may be collected by any other legal means.

Dwelling. Structure

048-73. Notice. Whenever the code official has declared a structure or Entire Dwelling. Structure is equipment unsafe or unfit under the provisions of this Division, notice unsafe. shall be posted in a conspicuous place in or about the structure affected by such notice and served on the owner or the person or persons responsible for the structure or equipment in accordance with Section 48-63. If the notice pertains to equipment, it shall also be placed on the equipment. The notice shall be in the form prescribed in Section 48-62.

Yes

048-74. Placarding. Upon failure of the owner or person responsible to Entire Dwelling. Upon failure to comply with the notice provisions within the time given, the code official comply within the time given, shall post on the premises or on defective equipment a placard reading structure shall be placarded. "Danger - Closed" or similar language, and a statement of the penalties provided for occupying the premises, operating the equipment, removing the placard, or falling to close the premises or keep the premises closed.

048-75. Prohibited occupancy. It shall be unlawful for any person to Entire Dwelling. Upon failure to occupy a placarded premises or to operate placarded equipment, and comply with repairs as ordered for any owner or any person responsible for the premises to let anyone within the time directed in this occupy a placarded premises or operate placarded equipment. Such Notice of Violation, structure persons shall be subject to the penalties set out in section 1-10 of this shall be vacated. Code.

048-76. Removal of placard. The code official shall remove the Entire Dwelling, Danger-closed placard whenever the defect or defects upon which the placard was sign shall not be removed until based have been eliminated. Any person who defaces or removes a directed by the City of Omeha. placard without the approval of the code official shall be subject to the penalties provided by this Code.

<u>Unsafe/Unfit</u> Designation Repaired

048-77. Filing with Register of Deeds. If a notice declaring a property. Entire unsafe or unfit for human occupancy is unsuccessfully appealed or if determined to be unfit/unsafe. the time for such appeal has passed without the filing of such appeal, then the code official may file the sald notice against the property with the Register of Deeds. Upon correction of the relevant violations, the code official shall file a release of the notice with the Register of Deeds, without cost to the owner.

Dweiling. Structure

General. The code official shall order the owner of any Entire Dwelling. Wreck permit premises upon which is located any structure, which in the code required to demolish this official's judgment is so old, dilapidated or has become so out of repair structure. All other permits will as to be dangerous, unsafe, insanitary or otherwise unfit for human be habitation or occupancy, and such that it is unreasonable to repair the dwelling/garage/building is to structure, to demolish and remove such structure; or if such structure is be saved. capable of being made safe by repairs, to repair and make safe and sanitary or to demolish and remove at the owner's option; or where there has been a cessation of normal construction of any structure for a period of more than two years, to demolish and remove such structure.

needed if Yes

048-91. General. The code official shall order the owner of any Entire Dwelling. If dwelling is to premises upon which is located any structure, which in the code be repaired, a Construction official's judgment is so old, dilapidated or has become so out of repair Schedule listing milestones for as to be dangerous, unsafe, insanitary or otherwise unfit for human the completion of all needed habitation or occupancy, and such that it is unreasonable to repair the repairs is required to be given structure, to demolish and remove such structure; or if such structure is to the inspector for approvel. capable of being made safe by repairs, to repair and make safe and sanitary or to demolish and remove at the owner's option; or where there has been a cessation of normal construction of any structure for a period of more than two years, to demolish and remove such structure.

048-91. General. The code official shall order the owner of any Entire Dwelling. If dwelling is to premises upon which is located any structure, which in the code be official's judgment is so old, dilapidated or has become so out of repair. Sub-Contractors that are doing as to be dangerous, unsafe, insanitary or otherwise unfit for human the plumbing, electrical and habitation or occupancy, and such that it is unreasonable to repair the mechanical repair work is structure, to demailsh and remove such structure; or if such structure is required to be given to the capable of being made safe by repairs, to repair and make safe and inspector for approval. sanitary or to demolish and remove at the owner's option; or where there has been a cessation of normal construction of any structure for a period of more than two years, to demolish and remove such structure.

repaired. a list

048-91. General. The code official shall order the owner of any Entire Dwelling. If dwelling is to premises upon which is located any structure, which in the code be repaired, a stamped official's judgment is so old, dilapidated or has become so out of repair as to be dangerous, unsafe, insanitary or otherwise unfit for human Engineers/Architects drawings habitation or occupancy, and such that it is unreasonable to repair the and plans, must be submitted structure, to demolish and remove such structure; or if such structure is and approved by the Code capable of being made safe by repairs, to repair and make safe and Inspector. sanitary or to demolish and remove at the owner's option; or where there has been a cessation of normal construction of any structure for a period of more than two years, to demolish and remove such structure.

Engineers Report or stamped

048-93. Failure to comply. If the owner of a premises fails to comply Entire Dwelling. Failure to with a demolition order within the time prescribed, the code official shall comply with demolition order cause the structure to be demolished and removed, either through an may result in removal of the available public agency or by contract or arrangement with private dangerous structure by the city. persons. The cost of such demolition and removal amy be assessed as a lien against the real estate upon which the structure is located, and may be collected from the owner pursuant to civil action, as provided by

Yes

048-94. Salvage materials. When any building or structure has been Entire Dwelling, Owner, ordered demolished or removed, the city or its contractor shall provide to the owner reasonable advance notice that any desired salvage materials or property of any value should be removed from the real estate upon which the building or structure is located. After the demolition or removal of a building or structure, the city or its contractor may keep or lawfully dispose of any salvage materials or property of any value remaining on the real estate.

Yes

049-300. Required. It shall be unlawful for any person to begin any job Entire Dwelling. All plumbing of plumbing until a license holder has secured from the permits and repairs must be made by a inspections division a permit to do such work; provided that no permit plumbing contractor, licensed will be required for minor repair work as defined in sections 49-400 and and bonded by the City of 49-303.

Omaha. Appropriate plumbing permits and inspections are required.

301.2. Responsibility. The owner of the premises shall maintain the Entire Dwelling. Owner structures and exterior property in compliance with these requirements, except as otherwise provided for in this code. A person shall not occupy as owner-occupant or permit another person to occupy premises which are not in a sanitary and safe condition and which do not comply with the requirements of this chapter. Occupants of a dwelling unit are responsible for keeping in a clean, sanitary and safe condition that part of the dwelling unit or premises which they occupy and control.

301.3. Vacant structures and land, All vacant structures and Entire Dwelling. Owner. premises thereof or vacant land shall be maintained in a clean, safe, structure is to be vacated, it secure and sanitary condition as provided herein so as not to cause a must be maintained in a clean, blighting problem or adversely affect the public health or safety.

safe, secure, and sanitary condition.

Code Section Violated	Location and Nature of Violation	Designation Repaired
301.3. Vacant structures and land. All vacant structures and premises thereof or vacant land shall be maintained in a clean, safe secure and sanitary condition as provided herein so as not to cause a blighting problem or adversely affect the public health or safety.	, Structure. Vacant bullding is	; ; !

301.3. Vacant structures and land. All vacant structures and Entire Dwelling. Structure must premises thereof or vacant land shall be maintained in a clean, safe, be secure within 24 hours of secure and sanitary condition as provided herein so as not to cause a this notice and be maintained blighting problem or adversely affect the public health or safety.

controls in a clean and sanitary condition.

controls in a clean and sanitary condition.

reinfestation.

sound and in good repair.

secure until the property is repaired and action is release, or the building is demolished.

Unesfo/Unfit

Yes

Yes

Yes

Yes

- Sanitation. All exterior property and premises shall be Entire Dwelling. Owner. Vacant maintained in a clean, safe and sanitary condition. The occupant shall structure must be maintained in
- keep that part of the exterior property which such occupant occupies or a clean, safe, secure, and sanitary condition.
- 302.1. Sanitation, All exterior property and premises shall be Entire Dwelling. Litter and/or maintained in a clean, safe and sanitary condition. The occupant shall debris on exterior property and keep that part of the exterior property which such occupant occupies or premises.
- 302.3. Sidewalks and driveways, All sidewalks, walkways, stairs, Entire Dwelling. Yes Cracked. driveways, parking spaces and similar areas shall be kept in a proper broken, upheaved concrete terrace stairs.
- 302.5. Rodent harborage. All structures and exterior property shall be Entire Dwelling. Evidence of kept free from rodent harborage and infestation. Where rodents are rodent infestation in main found, they shall be promptly exterminated by approved processes structure. Dead mouse. which will not be Injurious to human health. After extermination, proper
- Accessory structures. All accessory structures, including Entire Dwelling. Deteriorated Yes detached garages, fences and walls shall be maintained structurally retaining walls.
- 304.1. General. The exterior of a structure shall be maintained in good. Entire Dwelling. Owner. repair, structurally sound and sanitary so as not to pose a threat to the public health, safety or welfare.

precautions shall be taken to eliminate rodent harborage and prevent

state of repair, and maintained free from hazardous conditions.

guardrails.

- 304.10. Stairways, decks, porches and balconies. Every exterior Entire Dwelling. Deteriorated stairway, deck, porch and balcony, and all appurtenances attached broken, missing, deteriorated thereto, shall be maintained structurally sound, in good repair, with and non code stair handrails, proper anchorage and capable of supporting the imposed loads.
- 304.10. Stairways, decks, porches and balconies. Every exterior Entire Dwelling. Deteriorated stairway, deck, porch and balcony, and all appurtenances attached deck, porch, floors, lattice skirt thereto, shall be maintained structurally sound, in good repair, with under front porch, and columns. proper anchorage and capable of supporting the imposed loads.

Yes

₩ Ω		5.50
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation Repaired
304.10. Stairways, decks, porches and balconles. Every exterio stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.	stairs.	i Yes
304.10. Stairways, decks, porches and balconies. Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.	vary by more than 3/8" between the smallest and the greates riser height.	n t
304.12. Handrails and guards. Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.	Entire Dwelling. Deteriorated and non code rails and guards on deck(s), steps, and/or porch	•
304.13. Window, skylight and door frames. Every window, skylight, door and frame shall be kept in sound condition, good repair and weather tight.	Entire Dwelling. Deteriorated doors, storm doors, door jambs, door hardware.	
304.13. Window, skylight and door frames. Every window, skylight, door and frame shall be kept in sound condition, good repair and weather tight.	Entire Dwelling. Windows & doors are not weather tight.	Yes
304.13. Window, skylight and door frames. Every window, skylight, door and frame shall be kept in sound condition, good repair and weather tight.	Entire Dwelling. Deteriorated storm windows and missing inserts on all sides.	Yes
<b>304.13.1. Glazing.</b> All glazing materials shall be maintained free from cracks and holes.	Entire Dweiling. Broken missing window glass and glazing putty at windows and doors.	Yes
304.14. Insect screens. During the period from May 1st to October 1st, every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas, or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored, shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch (16 mesh per 25 mm) and every screen door used for insect control shall have a self-closing device in good working condition.	tom, and missing Insect screens on all sides.	

304.15. Doors. All exterior doors, door assemblies and hardware shall Entire Dwelling. Damaged and be maintained in good condition. Locks at all entrances to dwelling deteriorated doors, hardware units, rooming units and guest rooms shall tightly secure the door, and jambs. Locks on means of egress doors shall be in accordance with Section

Exception: Screen doors shall not be required where other approved means, such as air curtains or insect repellent fans, are employed.

304.15. Doors. All exterior doors, door assemblies and hardware shall. Entire Dwelling. Doors are not be maintained in good condition. Locks at all entrances to dwelling weather tight. units, rooming units and guest rooms shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3.

Unsafe/Unfit Designation Repaired

304.17. Guards for basement windows. Every basement window that Entire is openable shall be supplied with rodent shields, storm windows or screens on basement windows. other approved protection against the entry of rodents.

Dwelling. Missina Non code Plexidas.

Yeş

304.2. Protective treatment. All exterior surfaces, including but not Entire Dwelling. Holes in vinyl limited to, doors, door and window frames, cornices, porches, trim, sldlng and loose metal trim and balconies, decks and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints, as well as those between the building envelope and the perimeter of windows, doors and skylights shall be maintained, weather resistant and water-tight. All metal surfaces subject to rust or corrosion shall be coated to Inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement.

Yes

304.2. Protective treatment, All exterior surfaces, including but not Entire Dwelling. Siding is not limited to, doors, door and window frames, cornices, porches, trim, weather tight. balconies, decks and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints, as well as those between the building envelope and the perimeter of windows, doors and skylights shall be maintained, weather resistant and water-tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement.

304.2. Protective treatment. All exterior surfaces, including but not Entire limited to, doors, door and window frames, cornices, porches, trim, balconles, decks and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints, as well as those between the building envelope and the perimeter of windows, doors and skylights shall be maintained, weather resistant and water-tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this

Peeling/missing paint on all exterior surfaces where paint is peeling, cracked or bare surfaces are exposed.

# Location and Nature of Violation

## Unsafe/Unfit Designation Repaired

Structural members. All structural members shall be Entire Dwelling. A stamped maintained free from deterioration and shall be capable of safely Engineers Report or supporting the imposed dead and live loads.

structural review is required by a State of Nebraska registered structural engineer and report given to inspector on front porch, rear wood deck, concrete stairs, and foundation walls.

304.5. Foundation walls. All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.

Dwelling. Cracked Entire foundations wall(s) deteriorated piers front porch.

304.5. Foundation walls. All foundation walls shall be maintained Entire Dwelling. Deteriorated plumb and free from open cracks and breaks and shall be kept in such masonry joints. condition so as to prevent the entry of rodents and other pests.

304.5. Foundation walls. All foundation walls shall be maintained Entire Dwelling. Structural plumb and free from open cracks and breaks and shall be kept in such review required by a State of condition so as to prevent the entry of rodents and other pests.

Nebraska registered structural engineer and report given to inspector.

304.6. Exterior walls. All exterior walls shall be free from holes, breaks. Entire. Dwelling. Cracked and and loose or rotting materials; and maintained, weatherproof and holes in vinyl siding. properly surface coated where required to prevent deterioration.

Yes

304.6. Exterior walls. All exterior walls shall be free from holes, breaks Entire Dwelling. Deteriorated and loose or rotting materials; and maintained, weatherproof and and/or missing properly surface coated where required to prevent deterioration.

mortar at masonry joints.

Yes

304.6. Exterior walls. All exterior walls shall be free from holes, breaks. Entire. Dwelling. Deteriorated and loose or rotting materials; and maintained, weatherproof and and/or cracked stucco. properly surface coated where required to prevent deterioration.

Yes

304.7. Roofs and drainage. The roof and flashing shall be sound, tight Entire Dwelling. Weeds in and not have defects that admlt rain. Roof drainage shall be adequate gutters. to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.

Yes

304.9. Overhang extensions. All overhang extensions including, but Entire Dwelling. Deteriorated not limited to canopies, marquees, signs, metal awnings, fire escapes, and/or loose soffits and fascia. standpipes, and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar surface treatment.

# Location and Nature of Violation

Unsafe/Unfit Designation Repaired

305.1. General. The interior of a structure and equipment therein shall Entire be maintained in good repair, structurally sound and in a sanitary Unsanitary condition. Occupants shall keep that part of the structure which they structure. Soiled, rotted, ceiling, occupy or control in a clean and sanitary condition. Every owner of a walls, floors, and carpets, structure containing a rooming house, a hotel, a domitory, two or more Window and door moldings dwelling units or two or more nonresidential occupancies, shall abraded and soiled. All trash maintain, in a clean and sanitary condition, the shared or public areas of and rubbish to be removed the structure and exterior property.

Dwelling. throughout within ten days of the date of this notice of violation.

Yes

Structural members. All structural members shall be Entire Dwelling. A stamped maintained structurally sound, and be capable of supporting the Engineers imposed loads.

Report or structural review is required by a State of Nebraska registered structural engineer and report given to inspector of the foundation walls.

Yes

305.3. Interior surfaces. All interior surfaces, including windows and Entire Dwelling. All abraded, doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking, or abraded paint shall be repaired, removed, or covered. Cracked or loose plaster, decayed wood, and other defective surface conditions shall be corrected.

deteriorated, damaged interior surfaces, including walls, windows, doors, trim, floors and ceilings.

Yes

305.3. Interior surfaces. All interior surfaces, including windows and Entire Dwelling. Unsanitary doors, shall be maintained in good, clean and sanitary condition, conditions, apparent mold or Peeling, chipping, flaking, or abraded paint shall be repaired, removed, mildew in ceiling and walls. or covered. Cracked or loose plaster, decayed wood, and other defective surface conditions shall be corrected.

Yes

305.4. Stairs and walking surfaces. Every stair, ramp, landing, Entire Dwelling. Deteriorated balcony, porch, deck or other walking surface shall be maintained in stairs to basement. sound condition and good repair.

Yes

305.6. Interior doors. Every interior door shall fit reasonably well within Entire Dwelling. Deteriorated its frame and shall be capable of being opened and closed by being interior doors, jambs and properly and securely attached to jambs, headers or tracks as intended hardware throughout, by the manufacturer of the attachment hardware.

Yes

307.1. Accumulation of rubbish or garbage. All exterior property and Entire Dwelling. Rubbish and premises, and the interior of every structure, shall be free from any garbage throughout. accumulation of rubbish or garbage.

308.1. Infestation. All structures shall be kept free from insect and Entire rodent infestation. All structures in which insects or rodents are found. Owner/Occupant. shall be promptly exterminated by approved processes that will not be Insect/Rodent infestation. injurious to human health. After extermination, proper precautions shall be taken to prevent reinfestation.

Dwelling. Yes

Designation Repaired

- 401.2. Responsibility. The owner of the structure shall provide and Entire Dwelling. maintain light, ventilation and space conditions in compliance with these person shall not occupy as requirements. A person shall not occupy as owner-occupant, or permit owner-occupant, or permit another person to occupy, any premises that do not comply with the another person to occupy any requirements of this chapter.
  - Owner, A premises not in compliance with light, ventilation, and space conditions in this code.

- 403.5. Clothes dryer exhaust. Clothes dryer exhaust systems shall be Entire Dwelling. Missing clothes independent of all other systems and shall be exhausted in accordance dryer exhaust. with the manufacturer's instructions.

Yes

- Food preparation. All spaces to be occupied for food Entire Dwelling. Deteriorated preparation purposes shall contain suitable space and equipment to kitchen sink cabinet, holes in store, prepare and serve foods in a sanitary manner. There shall be cabinet floor, back. Broken adequate facilities and services for the sanitary disposal of food wastes cabinet door and refuse, including facilities for temporary storage.
  - and drawers. Broken countertops and edges.

Yes

- 501.2. Responsibility. The owner of the structure shall provide and Entire Dwelling. A person shall maintain such plumbing facilities and plumbing fixtures in compliance not occupy as owner occupant with these requirements. A person shall not occupy as owner-occupant or permit another person to or permit another person to occupy any structure or premises which occupy premises which do not does not comply with the requirements of this chapter.
  - comply.

Yes

- 504.1. General. All plumbing fixtures shall be properly installed and Entire maintained in working order, and shall be kept free from obstructions, finishes on plumbing fixtures leaks and defects and be capable of performing the function for which including tub, lavatory, kitchen such plumbing fixtures are designed. All plumbing fixtures shall be sink, leaks, obstructions and maintained in a safe, sanitary and functional condition.
  - Dwelling. Abraded defects at plumbing fixtures.

Yes

- 504.1. General, All plumbing fixtures shall be properly installed and Entire Dwelling. All Plastic maintained in working order, and shall be kept free from obstructions, leaks and defects and be capable of performing the function for which plumbing repairs must be made such plumbing fixtures are designed. All plumbing fixtures shall be by a plumbing contractor, maintained in a safe, sanitary and functional condition.
- plumbing is non-code. All licensed and bonded by the City of Omaha and require permits and inspections.

Yes

- 504.1. General. All plumbing fixtures shall be properly installed and Entire maintained in working order, and shall be kept free from obstructions, system must be checked by a leaks and defects and be capable of performing the function for which licensed, bonded plumbing such plumbing fixtures are designed. All plumbing fixtures shall be contractor with the City of maintained in a safe, sanitary and functional condition.
  - Dwelling. Omaha and the report given to the inspector.

Yes

- 505.1. General. Every sink, lavatory, bathtub or shower, drinking Entire Dwelling. fountain, water closet or other plumbing fixture shall be properly water supply pipes. connected to either a public water system or to an approved private water system. All kitchen sinks, lavatories, laundry facilities, bathtubs and showers shall be supplied with hot or tempered and cold running water in accordance with the International Plumbing Code.
  - Non-code

#### Unsafe/Unfit Designation Repaired Location and Nature of Violation

505.4. Water heating facilities. Water heating facilities shall be Entire Dwelling. Water heater properly installed, maintained and capable of providing an adequate must be cleaned and checked amount of water to be drawn at every required sink, lavatory, bathtub, by a licensed, bonded plumbing shower and laundry facility at a temperature of not less than 120 contractor with the City of degrees F (49 C). A gas-burning water heater shall not be located in Omaha and the report given to any bathroom, toilet room, bedroom or other occupied room normally the inspector. kept closed, unless adequate combustion air is provided. An approved combination temperature and pressure-relief valve and relief valve discharge pipe shall be properly installed and maintained on water heaters.

601.2. Responsibility. The owner of the structure shall provide and Entire Dwelling. A person shall maintain mechanical and electrical facilities and equipment in not occupy as owner occupant compliance with these requirements. A person shall not occupy as or permit another person to owner-occupant or permit another person to occupy any premises occupy premises which do not which does not comply with the requirements of this chapter.

comply.

Yes

601.2. Responsibility. The owner of the structure shall provide and Entire Dwelling. Deteriorated, maintain mechanical and electrical facilities and equipment in compliance with these requirements. A person shall not occupy as furnace and heat duct supply owner-occupant or permit another person to occupy any premises which does not comply with the requirements of this chapter,

soiled. rusted and return air to be cleaned and checked by a licensed, bonded H.V.A.C. contractor.

Yes

604.2. Service. The size and usage of appliances and equipment shall. Entire serve as a basis for determining the need for additional facilities in service is to be checked and accordance with the ICC Electrical Code. Dwelling units shall be served sized for usage by a licensed, by a three-wire, 120/240 volt, single-phase electrical service having a bonded electrical contractor rating of not less than 60 amperes.

Dwelling. Electrical and report given to inspector.

Yes

604.3. Electrical system hazards. Where it is found that the electrical Entire Dwelling. Broken wall system in a structure constitutes a hazard to the occupants or the outlets, switches, lights and structure by reason of inadequate service, improper fusing, insufficient cover plates. receptacles and lighting outlets, improper wiring or installation, deterioration or damage, or for similar reasons, the code official shall require the defects to be corrected to eliminate the hazard.

Yes

604.3. Electrical system hazards, Where it is found that the electrical Entire system in a structure constitutes a hazard to the occupants or the knockouts in junction boxes. structure by reason of inadequate service, improper fusing, insufficient receptacles and lighting outlets, improper wiring or installation, deterioration or damage, or for similar reasons, the code official shall require the defects to be corrected to eliminate the hazard.

Dwelling. Missina Yes

701.2. Responsibility. The owner of the premises shall provide and Entire Dwelling. A person shall maintain such fire safety facilities and equipment in compliance with not occupy as owner occupant these requirements. A person shall not occupy as owner-occupant or or permit another person to permit another person to occupy any premises that do not comply with occupy premises which do not the requirements of this chapter.

comply.

Yes

704.1. Smoke detectors. Existing Group R occupancies not already Entire Dwelling. Missing and provided with single-station smoke alarms shall be provided with non working smoke detectors approved single-station smoke alarms.

throughout.



City of Omaha Mike Fahey, Mayor

# Planning Department

Omaha/Douglas Civic Center 1819 Farnam Street, Suite 1003 Omaha, Nebraska 68183 (402) 444-5150 Telefax (402) 546-0714

Steven N. Jensen, AICP

# **DEMOLITION ORDER**

October 8, 2008

**Deutsch Bank National Trust** 1610 E. St. Andrew Place B#150 Santa Ana, CA 92705

This notice concerns the Dwelling on the Property at 1602 LAIRD ST .

The said structure is in violation of the Omaha Municipal Code. The violations currently known to exist on this Property are listed in the attached Violations List.

You are ordered to demolish and remove the said structure by December 7, 2008.

If you fail to comply with this order by the above date, then the City will demolish and remove the said structure. In such case, the cost of such demolition and removal may be assessed as a lien against the Property, and may be collected from the owner in a civil action.

While the necessity of City permits to conduct the necessary work will depend on the method of repair chosen by the Property owner, it presently appears that the following types of permits will have to be obtained from the City to perform the necessary work: , Wreck Permit.

Any person directly affected by this notice may appeal to the Omaha Building Board of Review by filing a written appeal application form and \$100.00 filing fee with the office of the City Permits and Inspections Division, Omaha/Douglas Civic Center, 1819 Farnam Street, Suite 1100, Omaha, Nebraska, within 20 days of the date of this notice (add an additional three business days if this notice was sent by regular mail). The appeal application shall state all grounds for objection to this notice.

If you desire clarification of this notice or of any of the violations listed, please call the undersigned between the hours of 8:00 a.m. and 9:30 a.m. and arrangements will be made to assist you.

Greg Peterson

Code Inspector,

Kevin J. Denker Chief Code Inspector

Camille Hawk, 200 Regnecy One, 10050 Regency Circle, 68114 Tax Lien, Kateri A Determan / SNB, 1120 S 101 St, Omaha, NE 68124

# The City of Omaha Planning Department Housing Division

# Permits and Code Requirements

for property address: 1602 LAIRD ST Structure Type: Dwelling-Entire Structure October 8, 2008

# The following permit is required for the primary structure: \$15,000.00

General Repair

Window Replacement

interior Inspection.

Requested for the following reason(s):

Fire Reroof Soffits, Gutters, etc.

Remove Existing Roof

Kitchen Remodel Bath Remodel

.

Reside

Plans required

Remove existing siding

Fence

Basement Finish Retaining Wall Decks/Porches Fire Escape

Separate Permits required for the following:

Electrical

Plumbing Mechanical

Y Wreck

## Special Code Requirements:

Wreck Requirements-

A wreck permit shall be required before the removal of a structure. For more information call 444-5371 and ask for a brochure to be mailed.

Other requirements: Wreck permit required to demolish the structure. Asbestos certification and termite Inspection are required to Issue wreck permit. Permits, plans, engineers report, construction schedule and list of sub-contractors are required if demolition is to be stopped.

# The City of Omaha Planning Department Housing Division Permits and Code Requirements for property address: 1602 LAIRD ST Structure Type: Dwelling-Entire Structure February 12, 2013

tis .	
☐ General Repair	☐ Window Replacement
☐ Fire	Soffits, Gutters, etc. Requested for the following reason(s):
Reroof	☐ Kitchen Remodel Due to deteriorated, poor exterior
☐ Remove Existing Roof	conditions. Fire caused substantial  Bath Remodel dameage as per report. Must evaluate
Reside	Plans required interior of duplex.
☐ Remove existing siding	☐ Fence
☐ Basement Finish	☐ Decks/Porches
☐ Retaining Wall	☐ Fire Escape
Separate Permits required for the	e following:
☐ Electrical ☐ Plumbing	a ☐ Mechanical :⊠: Wreck
	tar in
Special Code Requirements:	
Wreck Peguirements	#i

Wreck Requirements-A wreck permit shall be required before the removal of a structure. For more information call 444-5371 and ask for a brochure to be mailed.



City of Omaha Jim Suttle, Mayor

Christopher Parrott 3519 U St. Omaha, NE 68107

## Planning Department

Omaha/Douglas Civic Center 1819 Farnam Street, Suite 1003 Omaha, Nebraska 68183 (402) 444-5150 Telefax (402) 546-0714

R. E. Cunningham, RA, F.SAME

NOTICE OF VIOLATION February 12, 2013

Parcel No.: 0157000007 Legal Description: The East 40 feet of the South 30' of Lot 7 & the East 40' of Lot 8, Block 9, Boulevard Park

This notice concerns the Property at: 1602 LAIRD ST Dwelling Entire Structure

The Property is in violation of the Omaha Municipal Code. The violations currently known to exist on this Property are listed in the attached Violations List.

You are ordered to repair or cure the said violations by April 13, 2013. A follow-up inspection, to determine whether the violations have been repaired or cured and whether the Property can thereby be released, will be scheduled on or shortly after that date, or sooner if you so request.

This vacant Property is declared to be unsafe, unfit for human occupancy, or unlawful, because of the violations so designated in the attached Violations List. You are ordered to close the Property and to take measures necessary to prevent occupancy of it within 60 days. Occupancy of the property is prohibited. Of course, if all violations making this property unsafe, unfit or unlawful are repaired or cured by the above date, the property can then be opened and occupied.

While the necessity of City permits to conduct the necessary work will depend on the method of repair chosen by the Property owner, it presently appears that the following types of permits will have to be obtained from the City to perform the necessary work: , Wreck Permit

Any person directly affected by this notice may appeal to the Omaha Building Board of Review by filing a written appeal application form and \$108.00 filing fee with the office of the City Permits and Inspections Division, Omaha/Douglas Civic Center, 1819 Farnam Street, Suite 1100, Omaha, Nebraska, within 20 days of the date of this notice (add an additional three business days if this notice was sent by regular mail). The appeal application shall state all grounds for objection to this notice.

If you desire clarification of this notice or of any of the violations listed, please call the undersigned between the bours of 8:00 a.m. and 9:30 a.m. and arrangements will be made to assist you.

Code Inspector, 402-444-5361

Kevin J. Denker Chief Code Inspector

C: Tax Lien, National Realty Acceptance Co., POBox 980, East Lansing, MI 48826

## Violations List

February 12, 2013

Christopher Parrott 3519 U St. Omaha, NE 68107

Re: 1602 LAIRD ST

Inspected by: Scott P. Benson Structure Type: Dwelling

# Owner Violation List items and Corrective Actions

## Code Section Violated

**043-101.** Generally. All construction or work for which a permit is required shall be subject to inspection by the building official and all such construction or work shall remain accessible and exposed for inspection purposes until approved by the building official. In addition, certain types of construction shall have special inspection as specified in the building code as adopted by this jurisdiction.

Approval as a result of an inspection shall not be construed to be an approval of a violation of the provisions of the building code, this Code or other ordinances of the jurisdiction. Inspections presuming to give authority to violate or cancel the provisions of the building code, this Code or other ordinances of the jurisdiction shall not be valid.

It shall be the duty of the permit applicant to cause the work to remain accessible and exposed for inspection purposes. Neither the building official nor the jurisdiction shall be liable for expense entailed in the removal or replacement of any material required to allow inspection.

A survey of the lot may be required by the building official to verify that the structure is located in accordance with the approved plans. (Ord. No 33582, SS 1(43-101), 6-27-95)

## Code Section Violated

**043-71. Required.** Except as specified in section 43-72 of this Code, no building or structure regulated by this Code shall be erected, constructed, enlarged, altered, repaired, moved, improved, removed, converted or demolished unless a separate permit for each building or structure has first been obtained from the building official. (Ord. No. 33582 SS 1(43-71), 6-27-95)

Unsafe/Unfit Location and Nature of Violation Designation

Entire Dwelling. Construction work shall remain accessible & exposed for inspections until approved.

Unsafe/Unfit Location and Nature of Violation Designation

Entire Dwelling. General repair permits are required for roof replacement, exterior and interior wall surface repair, window and door repair, non-structural replacement.

Location and Nature of Violation

Unsafe/Unfit Designation

**043-91. Permit Fees.** Fees shall be assessed in accordance with the provisions of this section. The fee for each building permit shall be as set forth in Table 43-91.

Entire Dwelling. Fee shall be assessed in accordance with the provisions of this sections.

The determination of value or valuation for the purpose of assessing the permit fee shall be made by the building official. The value to be used in computing the building permit and plan review fees shall be the total value of all construction work for which the permit is issued.

Penalty fees: When construction begins before the permit has been issued, the applicant shall pay a penalty fee. Said fee shall be quadruple the amount of the regular fee.

No quadruple fee penalty set forth in this chapter shall be imposed if the work is of an emergency nature where a delay in performing the work may cause a risk to life or health or will significantly increase the risk of property damage, provided a permit is applied for within 48 hours of the start of the work, in which case no penalty shall be imposed.

## Code Section Violated

043-94. Commencing work without permit. Whenever any work for which a permit is required has been commenced without first obtaining said permit, a special investigation shall be made before a permit may be issued. A penalty fee shall be assessed in accordance with table 43-91. Payment of the penalty fee shall not exempt the applicant from making any changes that may be required to bring the work into compliance with the city's building, zoning and other codes.

(Ord. No 33582, SS 1(43-94), 6-27-95)

# Code Section Violated

**048-12a. Maintenance.** Equipment, systems, devices and safeguards required by this code or a previous regulation or code under which the structure or premises was constructed, altered or repaired shall be maintained in good working order. The requirements of this code are not intended to provide the basis for removal or abrogation of fire protection and safety systems and devices in existing structures. Except as otherwise specified herein, the owner or the owner's designated agent shall be responsible for the maintenance of buildings, structures and premises.

# Location and Nature of Violation

Entire Dwelling. Whenever any work for which a permit is required has been commenced without first obtaining said permit a penalty fee shall be assessed.

# Location and Nature of Violation Designation

Entire Dwelling. Owner and or person or persons responsible.

Unsafe/Unfit

Unsafe/Unfit

Designation

Code Section Violated	Location and Nature of Violation	Unsafe/Unfit
<b>048-12e. Maintenance.</b> Mechanical and plumbing systems, both existing and new, and parts thereof shall be maintained in proper operating condition in accordance with the original design and in a safe and sanitary condition. Devices or safeguards required by an applicable code shall be maintained in compliance with the code edition under which installed.	Entire Dwelling. Owner and or person or persons responsible. Both mechanical and plumbing system shall be maintained in property operating condition in accordance with the original design and in safe and sanitary condition.	
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
048-13. Application of other codes. Repairs, additions or alterations to a structure, or changes of occupancy, shall be done in accordance with the procedures and provisions of the City's Building Code, Plumbing Code, Mechanical Code, Fuel Gas Code, Fire Code and Electrical Code, all as defined in this code. Nothing in this code shall be construed to cancel, modify or set aside any provisions of Chapter 55 of the Omaha Municipal Code.	Entire Dwelling. All city codes apply. Building Code, Plumbing Code, Electrical Code, Mechanical Code, Fire Code.	2003.01011
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
048-15. Workmanship. Repairs, maintenance work, alterations or installations which are caused directly or indirectly by the enforcement of this code shall be executed and installed in a workmanlike manner and installed in accordance with the manufacturer's installation instructions.	Entire Dwelling. All repairs, alterations, maintenance work & installations shall be made in a workmanlike manner, and in accordance with manufacturer's installation instructions.	
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
<b>048-34.</b> Right of entry. The code official is authorized to enter the structure or premises at reasonable times to inspect subject to constitutional restrictions on unreasonable searches and seizures. If entry is refused or not obtained, the code official is authorized to pursue recourse as provided by law.	Entire Dwelling. The code official is authorized to enter the structure or premises at reasonable times.	
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
048-53. Prosecution of violation. Any person failing to comply with a notice of violation or order served in accordance with this code shall be deemed guilty of a misdemeanor, as provided in Section 1 -10 of the Omaha Municipal Code. If the notice of violation is not complied with, the code official may institute the appropriate proceeding at law or in equity to restrain, correct or abate such violation, or to require the removal or termination of the unlawful occupancy of the structure in violation of the provisions of this code or of the order or direction made pursuant thereto.	Entire Dwelling. Any person failing to comply with a notice shall be prosecuted.	79)

Unsafe/Unfit

		<b>6</b> 0
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
<b>048-54.</b> Violation penalties. Any person who shall violate a provision of this code, or fail to comply therewith, or with any of the requirements thereof, shall be prosecuted within the limits provided by state or local laws. Each day that a violation continues after due notice has been served shall be deemed a separate offense.	Entire Dwelling. Any person who violates a provision of this code shall be prosecuted within the limits provided by state or locals laws.	
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
<b>048-61.</b> Notice to owner or to person or persons responsible. Whenever the code official determines that there has been a violation of this code or has grounds to believe that a violation has occurred, notice shall be given to the owner or the person or persons responsible therefore in the manner prescribed in sections 48-62 and 48-63. Not more than one notice of violations shall be issued for the same violation. Notices for procedures declaring property unsafe or unfit for human occupancy shall also comply with Division 8.	Entire Dwelling. Owner and or person or persons responsible.	
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
048-65. Transfer of ownership. If the ownership of a property subject to a pending notice or order under this code is to be transferred, the transferring owner shall report to the city housing division the impending transfer of the property and the name and address of the transferee, at least seven (7) days prior to the transfer.	Entire Dwelling. Inspector must be noticed of pending transfer of ownership seven (7) days prior to transfer.	
Code Codica Vista de la	6)	Unsafe/Unfit
Code Section Violated  048-71a. General. When a structure or equipment is found by the code official to be unsafe, or when a structure is found unfit for human occupancy, or is found unlawful, such structure shall be declared as such by notice pursuant to the provisions of this code.	Entire Dwelling. Burned, fire damaged dwelling. All permits required if repair is decided upon.	Pesignation Yes
a. Unsafe Structure. An unsafe structure is one that is found to be dangerous to the life, health, property or safety of the public or the occupants of the structure by not providing minimum safeguards to protect or warn occupants in the event of fire, or because such structure contains unsafe equipment or is so damaged, decayed, dilapidated, structurally unsafe, or of such faulty construction or unstable foundation that partial or complete collapse is possible.		
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
048-71a. General. When a structure or equipment is found by the code official to be unsafe, or when a structure is found unfit for numan occupancy, or is found unlawful, such structure shall be declared as such by notice pursuant to the provisions of this code.	Entire Dwelling. Unsafe structure.	Yes
dangerous to the life, health, property or safety of the public or the occupants of the structure by not providing minimum safeguards to protect or warn occupants in the event of fire, or because such structure contains unsafe equipment or is so damaged, decayed, dilapidated, structurally unsafe, or of such faulty construction or unstable foundation that partial or complete collapse is possible.	ā	
The second secon	(3	

. .

Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
<b>048-71c.</b> General. When a structure or equipment is found by the code official to be unsafe, or when a structure is found unfit for human occupancy, or is found unlawful, such structure shall be declared as such by notice pursuant to the provisions of this code.	Entire Dwelling. Dwelling is unfit for human occupancy.	Yes
c) Structure unfit for human occupancy. A structure is unfit for human occupancy whenever the code official finds that such structure is unsafe, unlawful or, because of the degree to which the structure is in disrepair or lacks maintenance, is insanitary, vermin or rat infested, contains filth and contamination, or lacks ventilation, illumination, sanitary or heating facilities or other essential equipment required by this code, or because the location of the structure constitutes a hazard to the occupants of the structure or to the public.		
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
048-73. Notice, Whenever the code official has declared a structure or equipment unsafe or unfit under the provisions of this Division, notice shall be posted in a conspicuous place in or about the structure affected by such notice and served on the owner or the person or persons responsible for the structure or equipment in accordance with Section 48-63. If the notice pertains to equipment, it shall also be placed on the equipment. The notice shall be in the form prescribed in Section 48-62.	Entire Dwelling. Structure is unsafe.	
Code Section Violated	Location and Nature of Violation	Unsefe/Unfit Designation
048-74. Placarding. Upon failure of the owner or person responsible to comply with the notice provisions within the time given, the code official shall post on the premises or on defective equipment a placard reading "Danger - Closed" or similar language, and a statement of the penalties provided for occupying the premises, operating the equipment or removing the placard.	Entire Dwelling. Upon failure to comply within the time given, structure shall be placarded.	
		Unsafe/Unfit
Ode Section Violated  048-75. Prohibited occupancy. It shall be unlawful for any person to occupy a placarded premises or to operate placarded equipment, and for any owner or any person responsible for the premises to let anyone occupy a placarded premises or operate placarded equipment. Such persons shall be liable for the penalties provided by this Code.	Location and Nature of Violation  Entire Dwelling. Upon failure to comply with repairs as ordered within the time directed in this Notice of Violation, structure shall be vacated.	Designation
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
301.2. Responsibility. The owner of the premises shall maintain the structures and exterior property in compliance with these requirements, except as otherwise provided for in this code. A person shall not occupy as owner-occupant or permit another person to occupy premises which are not in a sanitary and safe condition and which do not comply with the requirements of this chapter. Occupants of a dwelling unit are responsible for keeping in a clean, sanitary and safe condition that part of the dwelling unit or premises which they occupy and control.	Entire Dwelling. Owner and or person/persons responsible.	
(5)		1602 I AIRD ST/ID No. 3162

Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
premises thereof or vacant land shall be maintained in a clean, safe, secure and sanitary condition as provided herein so as not to cause a blighting problem or adversely affect the public health or safety.	Entire Dwelling. If structure is to be vacated, it must be maintained in a clean, safe, secure, and sanitary condition.	Unsafe/Unfit
Code Section Violated	Location and Nature of Violation	Designation
	Dwelling Exterior. Owner and / or person(s) responsible. Exterior property area not in clean, safe and sanitary condition.	Yes
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
304.1. General. The exterior of a structure shall be maintained in good repair, structurally sound and sanitary so as not to pose a threat to the public health, safety or welfare.	Dwelling Exterior. Owner. Exterior of the structure is in disrepair, unsanitary and is a blighting influence on the neighborhood.	Yes
Code Section Violated	Location and Nature of Violation	Unsafe/Unfit Designation
304.2. Protective treatment. All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints, as well as those between the building envelope and the perimeter of windows, doors and skylights shall be maintained, weather resistant and water-tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement.	Dwelling Exterior. Deteriorated siding and trim.	
	Location and Nature of Violation	Unsafe/Unfit Designation
Code Section Violated  304.7. Roofs and drainage. The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water	Dwelling Exterior.  Deteriorated soffits and fascia.	Yes